

# Safety Data Sheet



Stock Number:  
Revision Date: 31-05-2018  
Replaces: 29-12-2016

## PACIFIC BREEZE SUNDAY MORNING

### 1. Identification

Product identifier used on the label: PACIFIC BREEZE SUNDAY MORNING  
Stock Number:

Other means of identification:

Synonyms: None

Recommended use of the chemical and restrictions on use:

Recommended use: Fragrance

Restrictions on use: Uses other than recommended use.

Name, address, and telephone number of the chemical manufacturer, importer, or other responsible party: PACIFIC BREEZE PRODUCTS INC.  
P.O. BOX 1663 WOODINVILLE, WA 98072

Telephone number: EMERGENCY PHONE: (800) – 467-5285  
**IF SWALLOWED CALL YOUR POISON CONTROL CENTER AT 1-800-222-1222**

E-mail address: www.pacificbreezeusa.com

Emergency phone number:

### 2. Hazard(s) identification

Classification of the chemical in accordance with paragraph (d) of §1910.1200:

GHS Hazard Symbols:



GHS Classification: Skin Sensitisation Category 1A  
Aspiration Hazard Category 1  
Flammable Liquid Category 2  
Skin Corrosion/Irritation Category 2

Signal Word: Danger

Hazard Statements: Highly flammable liquid and vapor.  
May be fatal if swallowed and enters airways.  
Causes skin irritation.  
May cause an allergic skin reaction.

Precautionary Statements:

# Safety Data Sheet

Product identifier used on the label: PACIFIC BREEZE SUNDAY MORNING

Stock Number:

Revision Date: 05-31-2018

Replaces:

**Prevention:** Keep away from heat/sparks/open flames/hot surfaces. – No smoking. Keep container tightly closed. Ground/bond container and receiving equipment. Use explosion-proof electrical/ventilating/lighting equipment. Use only non-sparking tools. Take precautionary measures against static discharge. Avoid breathing dust/fume/gas/mist/vapors/spray. Wash thoroughly after handling. Contaminated work clothing should not be allowed out of the workplace. Wear protective gloves/protective clothing/eye protection/face protection.

**Response:** If swallowed: Immediately call a poison center/doctor. If on skin: Wash with plenty of water. If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. Do NOT induce vomiting. If skin irritation or rash occurs: Get medical advice/attention. Take off contaminated clothing and wash it before reuse. Wash contaminated clothing before reuse. In case of fire: Use an appropriate extinguisher (see section 5) for extinction.

**Storage:** Keep container tightly closed. Store in a well-ventilated place. Keep cool. Store locked up.

**Disposal:** Dispose of contents/container to a suitable disposal site in accordance with local/national/international regulations.

**Hazards not otherwise classified:** None Known

### 3. Composition/information on ingredients

Chemical Name	Common name and synonyms	CAS #	%
Hydrotreated light distillate (Petroleum)	None	90622-58-5	30 - 60
Naphtha (petroleum), hydrotreated heavy	None	64742-48-9	10 - 30
Ethanol	None	64-17-5	1 - 5
CLOVE LEAF OIL - C-1800	None	8015-97-2	1 - 5
1,6-Octadien-3-ol, 3,7-dimethyl-, 3-acetate	None	115-95-7	1 - 5
Ethanone, 1-(1,2,3,4,5,6,7,8-octahydro-2,3,8,8-tetramethyl-2-naphthalenyl)-	None	54464-57-2	1 - 5
Ethanone, 1-[(3R,3aR,7R,8aS)-2,3,4,7,8,8a-hexahydro-3,6,8,8-tetramethyl-1H-3a,7-methanoazulen-5-yl]-	None	32388-55-9	0.5 - 1.5

# Safety Data Sheet

Product identifier used on the label: PACIFIC BREEZE SUNDAY MORNING

Stock Number:

Revision Date: 05-31-2018

Replaces:

Ethyl methylphenylglycidate	None	77-83-8	0.1 - 1
3-Cyclohexene-1-carboxaldehyde, 2,4-dimethyl-	None	68039-49-6	0.1 - 1
2-Propenal, 3-phenyl-	None	104-55-2	0.1 - 1
(d)-Limonene	None	5989-27-5	0.1 - 1
Dodecanal	None	112-54-9	0.1 - 1
Bicyclo[7.2.0]undec-4-ene, 4,11,11-trimethyl-8-methylene-, (1R,4E,9S)-	None	87-44-5	0.01 - 0.1
Cyclohexene, 1-methyl-4-(1-methylethylidene)-	None	586-62-9	0.01 - 0.1

One or more hazardous ingredient(s) is claimed as a trade secret under the OSHA Hazard Communication Standard. The hazards of this (these) ingredient(s) are given on this SDS.

## 4. First-aid measures

Description of necessary measures, subdivided according to the different routes of exposure, i.e., inhalation, skin and eye contact, and ingestion:

**Inhalation:** Remove to fresh air. If breathing is difficult, have a trained individual administer oxygen. If not breathing, give artificial respiration and have a trained individual administer oxygen. Get medical attention immediately.

**Eye Contact:** Flush eyes with plenty of water for at least 20 minutes retracting eyelids often. Tilt the head to prevent chemical from transferring to the uncontaminated eye. Get immediate medical attention.

**Skin Contact:** Wash with soap and water. Remove contaminated clothing and launder. Get medical attention if irritation develops or persists.

**Ingestion:** Do not induce vomiting and seek medical attention immediately. Drink two glasses of water or milk to dilute. Provide medical care provider with this MSDS. Induce vomiting as a last measure. Induced vomiting may lead to aspiration of the material into the lungs potentially causing chemical pneumonitis.

**Most important symptoms/effects, acute and delayed:** May be fatal if swallowed and enters airways Causes skin irritation May cause an allergic skin reaction

**Indication of immediate medical attention and special treatment needed, if necessary:** None Known

## 5. Fire-fighting measures

# Safety Data Sheet

Product identifier used on the label: PACIFIC BREEZE SUNDAY MORNING

Stock Number:

Revision Date: 05-31-2018

Replaces:

---

## Suitable (and unsuitable) extinguishing media:

### Suitable extinguishing media:

Use alcohol resistant foam, carbon dioxide, or dry chemical extinguishing agents. Water may be ineffective but water spray can be used to extinguish a fire if swept across the base of the flames. Water can absorb heat and keep exposed material from being damaged by fire.

Carbon dioxide

Dry chemical

Alcohol foam

### Unsuitable extinguishing media:

None Known

### Specific hazards arising from the chemical:

Highly Flammable Vapors may be ignited by sparks, flames or other sources of ignition if material is above the flash point giving rise to a fire (Class B). Vapors are heavier than air and may travel to a source of ignition and flash back. Empty containers that retain product residue (liquid, solid/sludge, or vapor) can be dangerous. Do not pressurize, cut, weld, braze, solder, drill, grind, or expose container to heat, flame, sparks, static electricity, or other sources of ignition. Any of these actions can potentially cause an explosion that may lead to injury or death. Combustible Liquid. Can form explosive mixtures at temperatures at or above the flash point.

### Hazardous combustion products:

Carbon Oxides, Carbon dioxide, Carbon monoxide

### Special protective equipment and precautions for fire-fighters:

Do not enter fire area without proper protection including self-contained breathing apparatus and full protective equipment. Fight fire from a safe distance and a protected location due to the potential of hazardous vapors and decomposition products. Flammable component(s) of this material may be lighter than water and burn while floating on the surface.

## 6. Accidental release measures

### Personal precautions, protective equipment and emergency procedures:

No health effects expected from the clean-up of this material if contact can be avoided. Follow personal protective equipment recommendations found in Section VIII of this MSDS

Evaporation of volatile substances can lead to the displacement of air creating an environment that can cause asphyxiation.

### Methods and materials for containment and cleaning up:

No special spill clean-up considerations. Collect and discard in regular trash.

Shut off ignition sources; including electrical equipment and flames. Do

# Safety Data Sheet

Product identifier used on the label: PACIFIC BREEZE SUNDAY MORNING

Stock Number:

Revision Date: 05-31-2018

Replaces:

not allow smoking in the area.

## 7. Handling and storage

### Precautions for safe handling:

Mildly irritating material. Avoid unnecessary exposure. Keep in air-tight containers- material is hygroscopic. "Empty" containers retain product residue (liquid and/or vapor) and can be dangerous. Ground and bond containers when transferring material Do not get in eyes, on skin and clothing Wash thoroughly after handling Avoid contact with material, avoid breathing dusts or fumes, use only in a well ventilated area. As with all chemicals, good industrial hygiene practices should be followed when handling this material.

### Conditions for safe storage, including any incompatibilities:

#### Safe storage conditions:

Store in a cool dry ventilated location. Isolate from incompatible materials and conditions. Keep container(s) closed. Do not store near combustible materials Store in a tightly closed container Keep away from sources of ignition Keep away from heat, sparks, and flame Store in a cool dry place Keep container closed when not in use

#### Materials to Avoid/Chemical Incompatibility:

Strong oxidizing agents, Amines, Strong acids, Caustics (bases)

## 8. Exposure controls/personal protection

OSHA permissible exposure limit (PEL), American Conference of Governmental Industrial Hygienists (ACGIH) Threshold Limit Value (TLV), and any other exposure limit used or recommended by the chemical manufacturer, importer, or employer preparing the safety data sheet, where available:

Chemical component	OSHA PEL	ACGIH TLV	ACGIH STEL	IDLH
Naphtha (petroleum), hydrotreated heavy	500 ppm TWA; 2900 mg/m <sup>3</sup> TWA	100 ppm TWA; 525 mg/m <sup>3</sup> TWA	Not established	Not established
Ethanol	1000 ppm TWA; 1900 mg/m <sup>3</sup> TWA	1000 ppm TWA; 1880 mg/m <sup>3</sup> TWA	Not established	Not established

### Appropriate engineering controls:

Local exhaust ventilation or other engineering controls are normally required when handling or using this product to avoid overexposure.

Facilities storing or using this material should be equipped with an eyewash and safety shower.

Use process enclosures, local exhaust ventilation, or other engineering controls to control airborne levels below recommended exposure limits

Ventilation is required to maintain operator exposure below published

# Safety Data Sheet

Product identifier used on the label: PACIFIC BREEZE SUNDAY MORNING

Stock Number:

Revision Date: 05-31-2018

Replaces:

---

exposure limits.

Engineering controls must be designed to meet the OSHA chemical specific standard in 29 CFR 1910.

## Individual protection measures, such as personal protective equipment:

### Respiratory Protection:

Respiratory protection will be required when handling this product. Use respirators only if ventilation cannot be used to eliminate symptoms or reduce the exposure to below acceptable levels. Respiratory protection may be required in addition to ventilation depending upon conditions of use. Wear a NIOSH approved respirator if any exposure is possible. Follow a respiratory protection program that meets 29 CFR 1910.134 and ANSI Z88.2 requirements whenever work place conditions warrant the use of a respirator.

### Eye protection:

Wear chemically resistant safety glasses with side shields when handling this product. Do not wear contact lenses.

Wear goggles and a Face shield

### Skin protection:

Wear protective gloves. Inspect gloves for chemical break-through and replace at regular intervals. Clean protective equipment regularly. Wash hands and other exposed areas with mild soap and water before eating, drinking, and when leaving work. Where contact is likely, wear chemical resistant gloves, a chemical suit, rubber boots, and chemical safety goggles plus a face shield

### Gloves:

No information available

### Other protective equipment:

Where contact is likely, wear chemical resistant gloves, a chemical suit, rubber boots, and chemical safety goggles plus a face shield

Wear goggles and a Face shield

### General hygiene conditions:

Wear protective gloves/protective clothing/eye protection/face protection. Contaminated work clothing should not be allowed out of the workplace. Wash thoroughly after handling.

## 9. Physical and chemical properties

### Appearance (physical state, color etc.):

Physical state:	Liquid
Color:	Pale amber
Odor:	Mild
Odor Threshold:	Not determined

# Safety Data Sheet

Product identifier used on the label: PACIFIC BREEZE SUNDAY MORNING

Stock Number:

Revision Date: 05-31-2018

Replaces:

---

<b>pH:</b>	Not applicable
<b>Melting point/freezing point:</b>	
<b>Melting Point:</b>	No Data Available ° C
<b>Freezing point:</b>	No Data Available
<b>Initial boiling point and boiling range:</b>	444 - 451 ° F
<b>Flash Point:</b>	55 ° F
<b>Evaporation Rate:</b>	Not determined
<b>Flammability (solid, gas):</b>	No Data Available
<b>Upper/lower flammability or explosive limits:</b>	
<b>Upper flammability or explosive limits:</b>	6.0
<b>Lower flammability or explosive limits:</b>	1.1
<b>Vapor pressure:</b>	No Data Available
<b>Vapor density:</b>	> 1
<b>Relative density:</b>	1
<b>Solubility(ies):</b>	Soluble in water- No
<b>Partition coefficient: n-octanol/water:</b>	No Data Available
<b>Auto-ignition temperature:</b>	No Data Available
<b>Decomposition temperature:</b>	215
<b>Viscosity:</b>	No Data Available
<b>Volatile Organic Chemicals:</b>	75.57
<b>Bulk Density:</b>	6.976

## 10. Stability and reactivity

<b>Reactivity:</b>	Not expected to be reactive
<b>Chemical stability:</b>	Stable under normal conditions.
<b>Possibility of hazardous reactions:</b>	None expected under standard conditions of storage
<b>Conditions to avoid (e.g., static discharge, shock, or vibration):</b>	Sparks, open flame, other ignition sources, and elevated temperatures. sparks flame Heat Elevated temperatures Contamination
<b>Incompatible materials:</b>	Strong oxidizing agents, Amines, Strong acids, Caustics (bases)
<b>Hazardous decomposition products:</b>	Carbon dioxide, Carbon monoxide, Carbon Oxides

# Safety Data Sheet

Product identifier used on the label: PACIFIC BREEZE SUNDAY MORNING

Stock Number:

Revision Date: 05-31-2018

Replaces:

## 11. Toxicological information

Description of the various toxicological (health) effects and the available data used to identify those effects:

Information on the likely routes of exposure (inhalation, ingestion, skin and eye contact):

Inhalation Eye contact Skin contact

Symptoms related to the physical, chemical and toxicological characteristics:

May be fatal if swallowed and enters airways Causes skin irritation May cause an allergic skin reaction

Delayed and immediate effects and also chronic effects from short- and long-term exposure:

Ingestion Toxicity:

Estimated to be 2.0 - 5.0 g/kg; slightly toxic Harmful if swallowed.

Skin Contact:

Can cause moderate skin irritation, defatting, and dermatitis. Not likely to cause permanent damage.

Inhalation Toxicity:

No Data Available

Eye Contact:

Can cause moderate irritation, tearing and reddening, but not likely to permanently injure eye tissue.

Sensitization:

May cause an allergic skin reaction

Reproductive and Developmental Toxicity:

No Data Available

Carcinogenicity:

No Data Available

STOT-single exposure:

Based on available data, the classification criteria are not met.

STOT-repeated exposure:

Based on available data, the classification criteria are not met.

Aspiration hazard:

Classification has been based on toxicological information of the components in Section 3.

Numerical measures of toxicity (such as acute toxicity estimates):

Chemical Name	LD50 Oral	LD50 Dermal	LC50 Inhalation
Ethyl alcohol	No Data Available	No Data Available	No Data Available

Is the hazardous chemical is listed in the National Toxicology Program (NTP) Report on Carcinogens (latest edition) or has been found to be a potential carcinogen in the International Agency for Research on Cancer (IARC) Monographs (latest edition), or by OSHA:

Chemical Name	OSHA Carcinogen	IARC Carcinogen	NTP Carcinogen
No Data Available			

## 12. Ecological information



# Safety Data Sheet

Product identifier used on the label: PACIFIC BREEZE SUNDAY MORNING

Stock Number:

Revision Date: 05-31-2018

Replaces:

Ecotoxicity (aquatic and terrestrial, where available): No Data Available

## Ecological Toxicity Data:

Chemical Name	CAS #	Aquatic EC50 Crustacea	Aquatic ERC50 Algae	Aquatic LC50 Fish
No Data Available				

## Persistence and degradability:

Bioaccumulative potential: No Data Available

Mobility in soil: No Data Available

Other adverse effects (such as hazardous to the ozone layer): None Known

## 13. Disposal considerations

Description of waste residues and information on their safe handling and methods of disposal, including the disposal of any contaminated packaging: Spent or discarded material is a hazardous waste.

Waste codes / waste designations: D001

## 14. Transport information

### Carriage of dangerous goods by road (DOT), rail or inland waterways:

UN number: Not Restricted  
UN Proper shipping name: No Data Available  
Transport hazard class(es): No Data Available  
Packing group, if applicable: No Data Available  
DOT Basic description: No Data Available

### International carriage of dangerous goods by sea (IMDG/IMO):

UN number: Not Restricted  
UN Proper shipping name: No Data Available  
Transport hazard class(es): No Data Available  
Packing group, if applicable: No Data Available

### International carriage of dangerous goods by air (IATA):

# Safety Data Sheet

Product identifier used on the label: PACIFIC BREEZE SUNDAY MORNING

Stock Number:

Revision Date: 05-31-2018

Replaces:

<b>UN number:</b>	Not Restricted
<b>UN Proper shipping name:</b>	No Data Available
<b>Transport hazard class(es):</b>	No Data Available
<b>Packing group, if applicable:</b>	No Data Available
<b>Environmental hazards (e.g., Marine pollutant (Yes/No)):</b>	No
<b>Transport in bulk (according to Annex II of MARPOL 73/78 and the IBC Code):</b>	No Data Available
<b>Special precautions which a user needs to be aware of or needs to comply with in connection with transport or conveyance either within or outside their premises:</b>	No Data Available

<b>15. Regulatory information</b>
-----------------------------------

Safety, health and environmental regulations specific for the product in question:

**TSCA Status:** All components in this product are on the TSCA Inventory.

Regulated Components:

Chemical Name	CAS #	CERCLA	Sara EHS	Sara 313	U.S. HAP
No Data Available					

Chemical Name	CAS #	California Prop 65 - Cancer	California Prop 65 - Dev. Toxicity	California Prop 65 - Reprod fem	California Prop 65 - Reprod male
No Data Available					

Chemical Name	CAS #	Massachusetts RTK List	New Jersey RTK List	Pennsylvania RTK List	Rhode Island RTK List	Minnesota Hazardous Substance List
No Data Available						

# Safety Data Sheet

Product identifier used on the label: PACIFIC BREEZE SUNDAY MORNING

Stock Number:

Revision Date: 05-31-2018

Replaces:

## 16. Other information, including date of preparation or last revision.

SDS Prepared by: CJ

Revision Date: 05-31-2018

Revision Number: 3

Reason for revision: Activated by Document Formulation Generation

**Disclaimer:** Important: While the descriptions, data and information contained herein are presented in good faith and believed to be accurate, it is provided for your guidance only. Because many factors may affect processing or application/use, we recommend that you perform an assessment to determine the suitability of the product for your particular purpose prior to use. Nothing herein should be interpreted as a recommendation to infringe existing patents or violate any laws or regulations. No warranties of any kind, either expressed or implied, including fitness for a particular purpose are made regarding the product described. We assume NO responsibility for any injuries resulting from misuse or misapplication of this product or that might be sustained because of inhalation, ingestion, absorption or other contact with this product. In no case shall the descriptions, information, or data provided be considered a part of our terms and conditions of sale. Further, the descriptions, data and information furnished hereunder are given gratis. No obligation or liability for the description, data and information given are assumed. All such being given and accepted at your risk.